ELSEVIER

Volume 502, Numbers 1–2, 18 October 1995

Journal of Organometallic Chemistry

Contents

Editorial vii

Regular Papers

A new synthetic route to functionally substituted (η^5-cyclopentadienyl)dicarbonyliridium compounds
M.S. Blais (West Point, NY, USA) and M.D. Rausch (Amherst, MA, USA) 1

Photoreactions of decacarbonyl-dirhenium with branched derivatives of Allene
C.G. Kreiter, W. Michels and G. Heeb (Kaiserslautern, Germany) 9

Synthesis, characterization and reactions of ethylene complexes bearing Ta(η^5-C_5R_5)(η^4-buta-1,3-diene) fragments (R = H, Me)
K. Mashima, Y. Tanaka and A. Nakamura (Osaka, Japan) 19

Synthesis and structure of diamine-substituted butene-2-olide-4-ylidene-4-cobalt carbonyl complexes
R. Perlaki, L. Markó (Veszprém, Hungary), G. Gervasio, E. Sappa (Torino, Italy) and G. Pályi (Modena, Italy) 25

Polymer supported magnesium anthracene: application in the synthesis of benzylic Grignard reagents
T.R. Van den Ancker (Nathan, Australia), S. Harvey (Nedlands, Australia) and C.L. Raston (Nathan, Australia) 35

Crystal structure of a new chiral Pd(0)/diphosphine complex and its use in enantioselective allylic alkylations
C. Bolm, D. Kaufmann, S. Gessler and K. Harms (Marburg, Germany) 47

π-Olefin-Iridium- Komplexe. XXIII. Umsetzungen reaktiver Cycloocta-1,5-dien-rhodium- und -iridium-Verbindungen mit Alkinen
J. Müller, R. Schubert, M. Tschampel und J. Pickardt (Berlin, Deutschland) 53

Dialkylaminophosphorus metal carbonyls. XIII. Structure of a tertiary alcohol [(^{i}Pr$_2$NP)$_2$C(OH)R]Fe$_2$(CO)$_6$ and the effect of carbon hybridization on the geometry of the CP$_2$Fe$_2$ cage
V. Kumar, D.W. Lee, M.G. Newton and R.B. King (Athens, GA, USA) 61

Borole derivatives. XXI. 2,5-Diphenyl-2,5-dihydro-1*H*-boroles; structures of *tert*-butyl-2,5-diphenyl-2,5-dihydro-1*H*-borole and of bis(tmeda)-lithium 2,5-diphenyl-2,5-dihydro-1*H*-boroledilide
G.E. Herberich, T. Wagner and H.-W. Marx (Aachen, Germany) 67

C_1-insertion reactions at cyclodimeric (η^2-acetaldehyde)zirconocene complexes
S. Schmuck, G. Erker and S. Kotila (Münster, Germany) 75

Neutral and cationic iron carbonyl complexes substituted with the water-soluble phosphines [Ph$_2$P(CH$_2$)$_n$PMe$_3$]$^+$ (n = 2, 3, 6 and 10)
I. Kovács and M.C. Baird (Kingston, Ont., Canada) 87

Chemical synthesis with metal atoms: preparation and reactivity of (η^6-cyclohepta-1,3,5-triene)(η^4-cycloocta-1,5-diene)iron(0)
P. Pertici, C. Breschi, G.U. Barretta, F. Marchetti and G. Vitulli (Pisa, Italy) 95

Conglomerate crystallization in organometallic compounds. V. The crystal and molecular structure of (C_5H_4–CH_2–CH_2–$\underset{\underset{O}{\|}}{C}$–Fe(CO)$_2$
I. Bernal (Houston, TX, USA) and H. Vogt (Regensburg, Germany) 103

A comparative study of the McMurry reaction utilizing [HTiCl(THF)$_{\sim 0.5}$]$_x$, TiCl$_3$(DME)$_{1.5}$–Zn(Cu) and TiCl$_2$ · LiCl as coupling reagents
B. Bogdanović and A. Bolte (Mülheim an der Ruhr, Germany) 109

Donor-acceptor substituted ferrocenes. Novel structural motifs by intramolecular acid–base pairing
F. Jäkle, M. Mattner, T. Priermeier and M. Wagner (Garching, Deutschland) 123

Metal–carbon multiple bonds: [2 + 2] cycloaddition of nitrilium salts across a metal–carbon triple bond; synthesis and structure of iminocarbene complexes of tungsten
A.C. Filippou, B. Lungwitz (Berlin, Germany), C. Völkl and E. Herdtweck (Garching, Germany) 131

Organic syntheses via transition metal complexes. LXXXI. Bis(carbene) complex of chromium connected by a conjugated ammonium pentadienide bridge
R. Aumann, B. Jasper, R. Fröhlich and S. Kotila (Münster, Deutschland) 137

Deprotonation of the complexes [Ru(arene)Cp]$^+$ PF$_6^-$ (arene = C$_6$Me$_6$ and fluorene): X-ray crystal structure of [Ru(η^5-C$_6$Me$_5$CH$_2$)Cp] and determination of the pK_a values using the iron analogues
C.M. Casado (Talence, France), T. Wagner (Aachen, Germany) and D. Astruc (Talence, France) 143

Vinyliden-Übergangsmetallkomplexe. XXXVIII. Alkin-, Alkinyl-, Vinyliden-, Allenyliden- und Benzyl-Rhodiumkomplexe mit dem Phosphinoether iPr$_2$PCH$_2$CH$_2$OMe als ein- und zweizähnigen Liganden
B. Windmüller, J. Wolf und H. Werner (Würzburg, Germany) 147

Stereochemical non-rigidity in a macrocyclic vinylsiloxane-based tris(alkene)nickel(0) complex
A.G. Avent, M.F. Lappert and C. MacBeath (Brighton, UK) 163

BINAP–Ru(II) and BINAP–Rh(I)-catalyzed asymmetric hydrogenation of olefins without heteroatom-functionalities
T. Ohta, H. Ikegami, T. Miyake and H. Takaya (Kyoto, Japan) 169

Introducing TPPTS and related ligands for industrial biphasic processes
B. Cornils (Frankfurt/M., Germany) and E.G. Kuntz (Villeurbanne, France) 177

Preliminary Communications

Tri(1-cyclohepta-2,4,6-trienyl)phosphan-Komplexe des Rhodiums(I) und Iridiums(I)
M. Herberhold, K. Bauer und W. Milius (Bayreuth, Deutschland) C1

The Kharasch reaction revisited: CuX_3Li_2-catalyzed conjugate addition reactions of Grignard reagents
M.T. Reetz and A. Kindler (Mülheim/Ruhr, Germany) C5

Author Index C8

Subject Index C9

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.